

APPENDIX D-6

MODEL OUTPUT RESULTS

FOR THE

CUMULATIVE CONDITION (PROPOSED PROJECT ALTERNATIVE FUTURE LEVEL OF DEMAND) COMPARED TO THE EXISTING CONDITION

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

APPENDIX D-6. — CUMULATIVE CONDITION (PROPOSED PROJECT ALTERNATIVE FUTURE LEVEL OF DEMAND) COMPARED TO THE EXISTING CONDITION

Index of Model Outputs					
Waterbody	Location	Modeled Variable	Model Output Description	Model Output Format	Page(s)
Lake Mary	N/A	Storage	Maximum Storage (AF), the Date on which Maximum Storage is Obtained, and the Date on which Minimum Storage Prior to September 15 is Obtained for Each of the 20-Years Included in the Evaluation Period	Table	1
Lake Mary	From Lake Mary to the Lake Mary WTP	District Diversions	District Diversions (AF) to the Lake Mary WTP, by Month, Runoff Year and Runoff Year Type for the 20-Year Evaluation Period	Tables	2 – 4
Mammoth Creek	OMR Gage	Daily Flow	Average Daily Flow (cfs) by Month, Runoff Year and Runoff Year Type for the 20-Year Evaluation Period	Tables	5 – 7
Mammoth Creek	OMR Gage	Daily Flow	Daily Flow (cfs) Cumulative Exceedance Probability Distributions by Month	Figures	8 – 19
Mammoth Creek	OMR Gage	Daily Flow	Time Series of Daily Flow (cfs) by Runoff Year	Figures	20 – 39
Mammoth Creek	OMR Gage	Daily Flow	Total Number of Days with a Recurrence Interval of Daily Flows $\geq Q_{20}$ by Runoff Year and Runoff Year Type Over the 20-Year Evaluation Period	Table	40
Mammoth Creek	OMR Gage	Daily Flow	Total Number of Channel Maintenance and Flushing Flow Events (Flow $\geq Q_{1.75}$) by Runoff Year and Runoff Year Type Over the 20-Year Evaluation Period	Table	41
Mammoth Creek	OMR Gage	Daily Flow	Total Number of Days with a Recurrence Interval of Daily Flows $\geq Q_{1.75}$ by Runoff Year and Runoff Year Type Over the 20-Year Evaluation Period	Table	42
Mammoth Creek	OMR Gage	Daily Adult Brown Trout Habitat (WUA)	Daily Time Series Comparing Adult Brown Trout Habitat Availability to 90% of Maximum (Theoretical) Adult Brown Trout Pool Habitat Availability for Each Runoff Year for the 20-Year Evaluation Period	Figures	43 – 62

Index of Model Outputs

Waterbody	Location	Modeled Variable	Model Output Description	Model Output Format	Page(s)
Mammoth Creek	OLD395 Gage	Daily Flow	Average Daily Flow (cfs) by Month, Runoff Year and Runoff Year Type for the 20-Year Evaluation Period	Tables	63 – 65
Mammoth Creek	OLD395 Gage	Daily Flow	Daily Flow (cfs) Cumulative Exceedance Probability Distributions by Month	Figures	66 – 77
Mammoth Creek	OLD395 Gage	Daily Flow	Time Series of Daily Flow (cfs) by Runoff Year	Figures	78 – 97
Hot Creek	USGS Hot Creek Flume Gage	Daily Flow	Average Daily Flow (cfs) by Month, Runoff Year and Runoff Year Type for the 20-Year Evaluation Period	Tables	98 – 100
Hot Creek	USGS Hot Creek Flume Gage	USGS Hot Creek Flume Daily Flow	Daily Flow (cfs) Cumulative Exceedance Probability Distributions by Month	Figures	101 – 112
Hot Creek	USGS Hot Creek Flume Gage	Daily Flow	Time Series of Daily Flow (cfs) by Runoff Year	Figures	113 – 132
Hot Creek	USGS Hot Creek Flume Gage	Daily Flow	Total Number of Channel Maintenance and Flushing Flow Events (Flow \geq $Q_{1.75}$) by Runoff Year and Runoff Year Type Over the 20-Year Evaluation Period	Table	133
Hot Creek	USGS Hot Creek Flume Gage	Daily Flow	Total Number of Days with a Recurrence Interval of Daily Flows \geq $Q_{1.75}$ by Runoff Year and Runoff Year Type Over the 20-Year Evaluation Period	Table	134

Lake Mary Maximum Storage (AF), the Date on which Maximum Storage is Obtained, and the Date on which Minimum Storage Prior to September 15 is Obtained for Each of the 20-Years Included in the Evaluation Period under the Cumulative Condition and the Existing Condition

Year	Runoff Year Type	Existing Condition			Cumulative Condition		
		Max Storage (AF)	Max Storage Date	Min Storage (2,935 AF) Prior to Sep 15 Date	Max Storage (AF)	Max Storage Date	Min Storage (2,935 AF) Prior to Sep 15 Date
1988	D	3,260	May 31	Sep 14	3,260	Jun 30	Sep 14
1989	N	3,260	May 31	Sep 14	3,260	Jun 28	—
1990	D	3,260	Jun 30	Sep 15	3,260	Jul 4	—
1991	N	3,260	Jul 2	—	3,260	Jul 4	—
1992	N	3,260	May 31	—	3,260	Jun 9	—
1993	W	3,260	Jun 11	—	3,260 ^[a]	Sep 8	—
1994	D	3,260	May 12	—	3,260	Jun 22	—
1995	W	3,260	May 13	—	3,260 ^[b]	Sep 7	—
1996	N	3,260	Apr 1	—	3,260	Apr 1	—
1997	N	3,260	May 10	—	3,260	Apr 10	—
1998	N	3,260	Jun 3	—	3,260	Apr 24	—
1999	N	3,260	April 15	—	3,260	Apr 19	—
2000	N	3,260	May 9	—	3,260	Apr 30	—
2001	N	3,260	May 12	—	3,260	May 13	—
2002	N	3,260	May 21	—	3,260	Jun 30	—
2003	N	3,260	May 30	—	3,260	Jun 30	—
2004	N	3,260	May 13	—	3,260	Jun 13	—
2005	W	3,260	May 27	—	3,260 ^[c]	Sep 8	—
2006	W	3,260	May 5	—	3,260	Apr 30	—
2007	D	3,260	May 20	—	3,260	May 22	Aug 21

^[a] Model output shows that maximum Lake Mary storage is 3,217 AF on June 30 in 1993.
^[b] Model output shows that maximum Lake Mary storage is 3,218 AF on June 30 in 1995.
^[c] Model output shows that maximum Lake Mary storage is 3,218 AF on June 30 in 2005.

Monthly Averages of Daily District Diversions (AF) to the Lake Mary WTP by Runoff Year and Runoff Year Type for the 20-Year Evaluation Period under the Cumulative Condition

Runoff Year	Runoff Year Type	Lake Mary WTP Diversions (AF) under the Cum Cond												
		Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1988	D	33.1	90.2	131.8	297.6	209.2	143.5	116.5	94.3	102.9	99.6	17.4	82.9	1,419.0
1989	N	108.5	220.6	254.3	309.8	241.5	165.9	134.6	120.3	102.9	111.5	104.6	99.6	1,974.0
1990	D	0.0	0.1	1.9	224.7	208.8	268.6	186.2	52.9	0.0	0.0	2.8	29.3	975.3
1991	N	0.0	0.0	0.4	270.0	269.5	262.9	116.5	94.0	102.9	93.3	31.9	0.0	1,241.5
1992	N	0.0	5.0	185.9	131.2	80.5	140.9	174.8	81.5	5.0	19.5	14.6	42.9	881.8
1993	W	45.9	228.8	232.1	309.8	309.8	299.8	296.4	249.1	192.8	216.4	186.9	192.0	2,760.0
1994	D	61.1	114.6	176.4	245.5	138.8	146.6	163.3	192.9	164.1	307.3	160.3	236.9	2,107.6
1995	W	193.1	293.5	298.8	309.8	309.7	242.3	213.1	156.9	178.1	199.2	182.3	183.2	2,759.9
1996	N	195.5	295.1	299.8	309.8	306.5	244.2	214.6	157.9	179.3	200.6	173.9	182.7	2,760.0
1997	N	195.5	295.1	299.8	309.8	306.5	244.2	214.6	157.9	179.3	200.6	173.9	182.7	2,760.0
1998	N	195.5	295.1	299.8	309.8	306.5	244.2	214.6	157.9	179.3	200.6	173.9	182.7	2,760.0
1999	N	195.5	295.1	299.8	309.8	306.5	244.2	214.6	157.9	179.3	200.6	180.6	176.0	2,760.0
2000	N	195.5	295.1	299.8	309.8	306.5	244.2	214.6	157.9	179.3	200.6	173.9	182.7	2,760.0
2001	N	189.8	281.0	299.8	293.4	207.4	147.6	135.7	120.0	163.8	142.7	121.6	85.8	2,188.6
2002	N	120.5	214.3	270.3	309.8	284.4	181.2	140.0	124.2	140.0	141.2	118.1	98.6	2,142.7
2003	N	12.7	86.7	156.8	309.8	300.8	243.0	179.0	106.5	117.8	128.9	120.2	120.6	1,882.9
2004	N	237.8	301.8	299.8	294.3	250.4	193.3	215.8	165.8	147.8	216.7	149.0	124.5	2,597.1
2005	W	77.3	253.2	256.5	309.8	309.8	298.3	283.1	195.1	189.3	212.3	183.5	191.8	2,760.0
2006	W	195.5	295.1	299.8	309.8	306.5	244.2	214.6	157.9	179.3	200.6	173.9	182.7	2,760.0
2007	D	297.5	309.8	201.7	196.2	121.6	76.8	117.0	94.1	102.9	100.1	47.1	25.6	1,690.5
Average		127.5	208.5	228.3	283.6	254.1	213.8	188.0	139.7	139.3	159.6	124.5	130.2	2,197.1

Monthly Averages of Daily District Diversions (AF) to the Lake Mary WTP by Runoff Year and Runoff Year Type for the 20-Year Evaluation Period under the Existing Condition

Runoff Year	Runoff Year Type	Lake Mary WTP Diversions (AF) under the Existing Cond												
		Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1988	D	11.1	34.3	221.9	274.7	188.3	108.7	139.6	64.2	98.8	102.6	72.4	79.4	1,395.8
1989	N	92.9	153.1	291.4	227.8	208.5	136.5	134.5	75.3	108.8	147.2	142.3	34.6	1,752.9
1990	D	0.0	0.0	1.2	233.4	165.5	228.6	122.0	28.8	56.5	41.4	3.0	24.3	904.7
1991	N	0.0	0.0	7.1	261.5	235.8	118.7	51.7	29.1	48.1	61.0	113.2	99.9	1,026.0
1992	N	0.2	85.7	159.5	75.8	77.0	32.3	10.3	32.6	19.0	16.8	45.9	61.2	616.3
1993	W	27.0	128.7	215.5	270.1	291.9	158.1	155.7	137.4	142.2	140.8	137.3	154.6	1,959.3
1994	D	83.0	79.8	177.1	152.3	100.5	44.7	106.5	105.1	76.2	89.6	80.7	87.2	1,182.6
1995	W	91.4	115.6	162.7	230.0	208.5	189.2	197.6	132.7	137.4	146.8	150.3	164.5	1,926.8
1996	N	159.4	177.3	208.5	230.1	204.9	158.7	144.5	133.9	137.8	157.7	148.2	163.1	2,024.1
1997	N	133.9	236.9	228.9	224.5	227.7	186.6	167.6	141.8	148.0	162.4	147.6	157.5	2,163.5
1998	N	152.1	148.2	187.2	229.6	236.7	193.5	164.4	125.8	156.3	147.6	150.2	157.7	2,049.2
1999	N	144.0	174.5	213.6	229.9	210.8	187.2	143.2	118.4	129.7	112.3	140.4	147.4	1,951.6
2000	N	145.4	184.5	199.1	205.1	207.5	196.4	161.5	126.7	138.7	114.6	95.2	118.0	1,892.7
2001	N	111.5	185.5	213.1	187.2	102.7	57.7	83.7	43.4	89.9	82.1	54.0	9.9	1,220.7
2002	N	35.9	196.0	222.7	249.3	170.4	78.3	39.3	72.0	114.4	95.8	53.6	26.6	1,354.3
2003	N	49.6	137.3	148.0	172.6	141.2	128.1	107.7	108.3	89.8	102.9	71.0	103.9	1,360.4
2004	N	143.0	210.1	238.1	229.7	156.6	108.3	87.9	110.4	43.3	52.6	32.4	5.0	1,417.4
2005	W	5.1	61.0	256.0	258.6	272.3	264.0	191.7	129.3	139.7	173.4	122.9	103.0	1,977.0
2006	W	147.2	147.8	260.2	270.9	284.5	220.5	136.8	122.5	164.8	181.2	159.7	122.1	2,218.2
2007	D	140.5	191.3	136.2	43.6	9.6	4.4	58.9	42.9	18.1	69.3	37.4	42.0	794.1
Average		83.7	132.4	187.4	212.8	185.1	140.0	120.3	94.0	102.9	109.9	97.9	93.1	1,559.4

Differences in Monthly Averages of Daily District Diversions (AF) to the Lake Mary WTP by Runoff Year and Runoff Year Type for the 20-Year Evaluation Period under the Cumulative Condition Relative to the Existing Condition. Positive Values Indicate that the Cumulative Condition District Diversion Values are Higher than the Existing Condition Values

Runoff Year	Runoff Year Type	Difference in Lake Mary WTP Diversions (AF) (Cum Cond - Existing Cond)												
		Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1988	D	22.0	55.9	-90.1	22.9	21.0	34.8	-23.0	30.1	4.1	-3.0	-55.0	3.5	23.2
1989	N	15.6	67.4	-37.2	82.1	33.0	29.4	0.1	44.9	-5.9	-35.7	-37.7	65.0	221.1
1990	D	0.0	0.1	0.7	-8.6	43.3	40.0	64.2	24.1	-56.5	-41.4	-0.2	5.0	70.7
1991	N	0.0	0.0	-6.7	8.6	33.7	144.2	64.8	65.0	54.8	32.4	-81.3	-99.9	215.5
1992	N	-0.2	-80.8	26.4	55.4	3.5	108.6	164.5	48.9	-14.1	2.7	-31.3	-18.2	265.5
1993	W	18.9	100.1	16.6	39.8	17.9	141.7	140.6	111.7	50.7	75.6	49.6	37.4	800.7
1994	D	-21.9	34.7	-0.7	93.2	38.3	101.9	56.8	87.8	87.9	217.6	79.6	149.6	925.0
1995	W	101.7	177.9	136.0	79.8	101.2	53.1	15.4	24.2	40.7	52.4	31.9	18.7	833.1
1996	N	36.1	117.8	91.3	79.8	101.6	85.5	70.2	24.0	41.5	42.9	25.7	19.7	735.9
1997	N	61.6	58.1	70.9	85.3	78.8	57.6	47.0	16.1	31.3	38.1	26.3	25.2	596.5
1998	N	43.4	146.9	112.7	80.3	69.8	50.7	50.2	32.1	23.0	53.0	23.8	25.0	710.8
1999	N	51.5	120.5	86.2	80.0	95.6	57.0	71.4	39.5	49.6	88.3	40.2	28.7	808.4
2000	N	50.1	110.6	100.7	104.7	99.0	47.8	53.2	31.1	40.6	85.9	78.7	64.7	867.3
2001	N	78.3	95.5	86.8	106.2	104.6	89.9	52.0	76.6	74.0	60.6	67.7	75.9	967.9
2002	N	84.6	18.3	47.6	60.5	114.1	102.8	100.7	52.2	25.6	45.4	64.6	72.0	788.4
2003	N	-36.9	-50.6	8.9	137.3	159.6	114.8	71.3	-1.8	28.1	25.9	49.2	16.7	522.5
2004	N	94.8	91.7	61.7	64.6	93.8	85.0	127.9	55.4	104.5	164.2	116.6	119.5	1,179.7
2005	W	72.2	192.2	0.5	51.3	37.5	34.3	91.5	65.8	49.5	38.9	60.6	88.8	783.0
2006	W	48.3	147.2	39.6	38.9	21.9	23.7	77.8	35.4	14.5	19.4	14.2	60.7	541.8
2007	D	157.1	118.5	65.5	152.6	112.1	72.4	58.1	51.2	84.8	30.8	9.7	-16.4	896.4
Average		43.9	76.1	40.9	70.7	69.0	73.8	67.7	45.7	36.4	49.7	26.6	37.1	637.7

Monthly Averages of Daily Flows (cfs) at the OMR Gage by Runoff Year and Runoff Year Type for the 20-Year Evaluation Period under the Cumulative Condition


Runoff Year	Runoff Year Type	Average OMR Gage Daily Flow (cfs) under the Cum Cond												
		Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1988	D	10.5	28.3	25.6	12.4	6.9	5.5	5.2	7.0	6.2	6.6	6.0	8.9	10.8
1989	N	16.1	27.4	26.4	10.4	7.5	6.9	6.3	7.2	6.1	6.4	6.3	7.0	11.2
1990	D	11.0	20.0	23.2	10.3	7.2	5.9	5.3	6.1	5.3	5.2	5.9	7.6	9.4
1991	N	8.5	19.7	51.2	20.3	8.4	5.6	5.9	6.7	5.8	5.7	5.9	6.4	12.5
1992	N	12.4	27.8	17.4	9.8	6.8	5.3	5.2	5.9	5.4	7.9	6.3	7.4	9.8
1993	W	11.0	51.7	87.9	57.9	18.1	8.1	6.9	7.0	7.4	6.5	7.0	7.9	23.2
1994	D	12.7	30.2	33.6	10.5	7.0	6.2	5.9	7.1	6.1	7.6	6.1	10.1	11.9
1995	W	12.6	40.6	123.8	150.5	55.1	21.3	12.2	9.0	12.7	12.3	15.2	12.5	39.9
1996	N	24.4	87.3	101.0	44.7	17.1	9.7	8.4	14.5	13.6	29.4	11.4	13.2	31.3
1997	N	24.4	76.4	74.0	27.8	13.4	11.0	6.4	7.6	9.1	9.3	11.0	11.2	23.5
1998	N	11.9	23.5	100.3	129.5	43.2	23.3	10.7	11.7	9.2	8.1	9.0	8.8	32.6
1999	N	11.5	50.7	82.0	30.8	12.7	8.7	7.0	7.6	6.1	7.8	8.7	8.9	20.2
2000	N	13.0	62.0	60.8	17.5	10.1	6.7	6.8	7.2	6.8	6.6	6.2	8.8	17.8
2001	N	10.9	62.0	31.1	11.9	7.2	5.5	5.9	6.9	7.9	6.6	6.0	7.6	14.2
2002	N	14.0	31.0	46.6	14.9	7.3	5.6	5.6	9.4	7.1	6.4	6.1	7.1	13.4
2003	N	10.2	42.3	72.9	20.5	8.7	6.4	5.5	6.3	7.6	6.4	6.4	9.8	16.9
2004	N	11.5	36.0	37.0	12.6	7.2	6.0	6.9	6.8	6.0	6.8	6.0	7.8	12.6
2005	W	10.5	70.4	110.9	77.3	20.8	8.9	7.8	7.1	12.2	10.0	7.1	8.8	29.4
2006	W	14.4	96.6	155.9	76.8	19.2	12.0	10.6	8.8	7.9	6.8	6.8	8.5	35.5
2007	D	9.9	29.3	23.7	9.4	5.8	5.3	5.7	6.2	6.8	7.8	6.0	7.3	10.3
Average		13.1	45.7	64.3	37.8	14.5	8.7	7.0	7.8	7.8	8.5	7.5	8.8	19.3

Monthly Averages of Daily Flows (cfs) at the OMR Gage by Runoff Year and Runoff Year Type for the 20-Year Evaluation Period under the Existing Condition

Runoff Year	Runoff Year Type	Average OMR Gage Daily Flow (cfs) under the Existing Cond												
		Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1988	D	10.9	24.4	27.6	11.6	6.9	5.5	5.1	7.2	5.9	6.5	5.9	9.0	10.5
1989	N	12.9	26.9	28.4	10.7	7.1	7.0	6.4	7.7	6.0	6.3	6.1	6.9	11.0
1990	D	10.1	18.3	23.4	9.7	7.2	6.0	5.3	6.3	5.3	5.2	5.9	7.7	9.2
1991	N	8.4	16.2	53.3	19.8	8.8	6.9	6.1	7.6	6.0	5.7	5.7	6.4	12.5
1992	N	9.6	26.7	17.4	10.9	6.6	5.6	5.3	6.3	5.4	8.0	6.2	7.7	9.7
1993	W	10.4	53.0	91.3	57.5	17.6	9.8	7.5	7.4	7.8	6.7	7.5	7.8	23.8
1994	D	12.0	33.9	35.8	10.4	7.0	6.2	6.4	7.6	7.1	10.1	7.3	12.4	13.0
1995	W	15.9	44.6	129.6	151.0	55.9	22.2	11.8	9.4	13.4	13.1	15.7	12.8	41.4
1996	N	25.0	88.4	101.4	44.9	17.6	10.0	8.8	14.9	14.3	30.1	11.9	13.5	31.8
1997	N	25.9	76.8	73.8	28.1	13.6	11.2	7.0	7.8	9.6	10.0	11.5	11.7	24.0
1998	N	13.3	25.7	102.0	130.1	43.4	23.3	11.0	12.2	9.5	8.8	9.4	9.2	33.3
1999	N	12.6	52.6	83.5	31.4	13.5	9.3	7.6	8.3	6.4	8.4	9.4	9.3	21.0
2000	N	16.2	63.5	61.8	18.3	10.6	7.1	7.3	7.6	7.2	7.1	7.3	9.3	18.6
2001	N	13.5	64.0	30.9	12.3	7.1	5.6	6.0	7.5	9.0	6.8	6.7	8.1	14.9
2002	N	16.3	32.8	50.0	14.7	7.3	5.9	5.8	10.1	7.2	6.6	6.1	7.3	14.2
2003	N	11.3	41.4	77.0	20.6	8.9	6.7	5.5	6.3	7.9	6.5	7.0	9.9	17.4
2004	N	14.8	38.7	38.3	12.7	7.2	6.0	8.0	7.3	6.6	8.9	7.3	8.6	13.7
2005	W	13.4	74.7	114.4	76.8	20.3	8.9	7.6	7.7	13.0	10.5	8.0	9.9	30.6
2006	W	17.9	98.9	156.2	76.6	18.8	11.5	10.8	9.4	8.2	6.8	6.9	9.2	36.0
2007	D	12.9	30.7	23.2	9.1	5.7	5.7	6.0	6.3	7.2	8.2	6.5	7.5	10.8
Average		14.2	46.6	66.0	37.9	14.5	9.0	7.3	8.2	8.1	9.0	7.9	9.2	19.9


Differences in Monthly Averages of Daily Flows (cfs) at the OMR Gage by Runoff Year and Runoff Year Type for the 20-Year Evaluation Period under the Cumulative Condition Relative to the Existing Condition. Positive Values Indicate that the Cumulative Condition Flow Values are Higher than the Existing Condition Values

Runoff Year	Runoff Year Type	Average OMR Gage Daily Flow (cfs) Differences (Cum Cond - Existing Cond)												
		Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1988	D	-0.4	3.9	-1.9	0.7	0.0	0.0	0.1	-0.1	0.2	0.1	0.1	-0.1	0.2
1989	N	3.2	0.6	-2.0	-0.2	0.4	-0.1	-0.1	-0.5	0.1	0.1	0.2	0.1	0.1
1990	D	0.9	1.7	-0.3	0.6	0.0	-0.1	0.0	-0.2	0.0	0.0	0.0	-0.1	0.2
1991	N	0.0	3.4	-2.1	0.6	-0.4	-1.4	-0.2	-0.9	-0.2	0.0	0.1	0.0	-0.1
1992	N	2.8	1.1	0.0	-1.0	0.2	-0.3	-0.1	-0.4	0.0	-0.1	0.2	-0.3	0.2
1993	W	0.6	-1.2	-3.4	0.3	0.5	-1.7	-0.6	-0.4	-0.4	-0.2	-0.5	0.1	-0.6
1994	D	0.7	-3.7	-2.2	0.0	0.0	0.0	-0.5	-0.6	-1.0	-2.5	-1.2	-2.3	-1.1
1995	W	-3.3	-4.0	-5.8	-0.5	-0.8	-0.9	0.4	-0.4	-0.7	-0.8	-0.5	-0.3	-1.5
1996	N	-0.6	-1.1	-0.4	-0.2	-0.5	-0.3	-0.4	-0.4	-0.7	-0.7	-0.5	-0.3	-0.5
1997	N	-1.4	-0.5	0.2	-0.3	-0.2	-0.2	-0.6	-0.2	-0.5	-0.6	-0.5	-0.4	-0.4
1998	N	-1.4	-2.2	-1.7	-0.6	-0.2	0.0	-0.3	-0.5	-0.3	-0.7	-0.4	-0.3	-0.7
1999	N	-1.1	-1.9	-1.4	-0.5	-0.8	-0.6	-0.6	-0.7	-0.2	-0.6	-0.7	-0.4	-0.8
2000	N	-3.2	-1.5	-0.9	-0.8	-0.5	-0.3	-0.4	-0.4	-0.4	-0.6	-1.1	-0.5	-0.9
2001	N	-2.7	-2.0	0.2	-0.4	0.1	-0.1	-0.2	-0.6	-1.1	-0.2	-0.7	-0.5	-0.7
2002	N	-2.3	-1.8	-3.4	0.2	0.0	-0.4	-0.2	-0.6	-0.1	-0.2	0.0	-0.2	-0.8
2003	N	-1.1	0.9	-4.1	-0.1	-0.1	-0.3	0.0	0.0	-0.3	-0.1	-0.6	-0.1	-0.5
2004	N	-3.4	-2.7	-1.3	-0.2	0.0	-0.1	-1.1	-0.5	-0.6	-2.1	-1.2	-0.8	-1.2
2005	W	-2.9	-4.3	-3.5	0.5	0.5	0.1	0.2	-0.6	-0.8	-0.5	-0.9	-1.1	-1.1
2006	W	-3.4	-2.2	-0.3	0.2	0.4	0.4	-0.2	-0.6	-0.2	-0.1	-0.1	-0.7	-0.6
2007	D	-3.1	-1.4	0.5	0.3	0.1	-0.4	-0.3	-0.1	-0.4	-0.4	-0.4	-0.2	-0.5
Average		-1.1	-1.0	-1.7	-0.1	-0.1	-0.3	-0.3	-0.4	-0.4	-0.5	-0.4	-0.4	-0.5




Probability of Exceedance (%)	April OMR Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	24.8	24.6
10	20.5	20.3
20	15.8	16.8
25	13.9	16.0
50	9.8	12.7
75	9.8	9.8
80	9.8	9.8
90	9.8	9.8
95	8.7	8.7

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OMR Gage under the Cumulative Condition and the Existing Condition during April for the 20-Year Evaluation Period




Probability of Exceedance (%)	May OMR Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	116.6	117.8
10	94.1	95.9
20	71.7	72.9
25	62.3	62.7
50	30.8	31.7
75	20.2	18.7
80	18.7	18.7
90	18.7	18.1
95	14.7	14.7

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OMR Gage under the Cumulative Condition and the Existing Condition during May for the 20-Year Evaluation Period




Probability of Exceedance (%)	June OMR Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	152.4	153.2
10	135.9	138.6
20	101.9	103.0
25	89.6	92.0
50	50.5	51.9
75	25.0	27.0
80	22.3	23.4
90	20.8	20.8
95	20.0	18.9

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OMR Gage under the Cumulative Condition and the Existing Condition during June for the 20-Year Evaluation Period




Probability of Exceedance (%)	July OMR Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	131.6	131.5
10	106.9	105.4
20	60.1	59.4
25	42.0	41.3
50	16.9	17.1
75	9.9	10.4
80	9.9	9.9
90	9.9	9.9
95	9.4	8.7

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OMR Gage under the Cumulative Condition and the Existing Condition during July for the 20-Year Evaluation Period




Probability of Exceedance (%)	August OMR Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	46.9	47.1
10	29.3	29.0
20	18.6	18.2
25	15.9	15.8
50	7.4	8.0
75	7.2	7.2
80	7.2	7.2
90	6.8	6.5
95	6.2	5.8

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OMR Gage under the Cumulative Condition and the Existing Condition during August for the 20-Year Evaluation Period




Probability of Exceedance (%)	September OMR Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	22.0	21.5
10	15.1	14.9
20	10.6	10.8
25	9.7	10.2
50	6.4	6.8
75	5.5	5.6
80	5.5	5.5
90	5.5	5.5
95	5.5	5.5

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OMR Gage under the Cumulative Condition and the Existing Condition during September for the 20-Year Evaluation Period




Probability of Exceedance (%)	October OMR Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	11.6	11.9
10	10.6	10.9
20	8.7	9.2
25	7.9	8.5
50	6.1	6.6
75	5.5	5.5
80	5.5	5.5
90	5.2	5.1
95	4.9	4.9

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OMR Gage under the Cumulative Condition and the Existing Condition during October for the 20-Year Evaluation Period




Probability of Exceedance (%)	November OMR Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	12.4	12.6
10	10.5	10.8
20	9.0	9.5
25	8.6	9.1
50	7.0	7.6
75	5.9	6.3
80	5.9	6.1
90	5.9	5.9
95	5.3	5.3

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OMR Gage under the Cumulative Condition and the Existing Condition during November for the 20-Year Evaluation Period




Probability of Exceedance (%)	December OMR Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	13.4	14.1
10	11.0	11.9
20	9.1	9.7
25	8.7	9.1
50	6.5	7.0
75	5.9	6.1
80	5.9	5.9
90	5.8	5.8
95	5.1	5.1

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OMR Gage under the Cumulative Condition and the Existing Condition during December for the 20-Year Evaluation Period




Probability of Exceedance (%)	January OMR Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	18.4	18.6
10	11.9	12.7
20	8.9	10.0
25	8.3	9.2
50	6.4	7.0
75	6.4	6.4
80	6.4	6.4
90	6.1	6.1
95	5.4	5.4

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OMR Gage under the Cumulative Condition and the Existing Condition during January for the 20-Year Evaluation Period




Probability of Exceedance (%)	February OMR Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	12.9	13.4
10	11.2	11.8
20	8.9	9.5
25	8.1	8.5
50	6.1	7.0
75	6.0	6.0
80	6.0	6.0
90	6.0	6.0
95	5.6	5.6

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OMR Gage under the Cumulative Condition and the Existing Condition during February for the 20-Year Evaluation Period




Probability of Exceedance (%)	March OMR Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	13.3	14.1
10	11.8	12.7
20	10.1	10.8
25	9.7	10.2
50	7.8	8.4
75	7.8	7.8
80	7.5	7.5
90	6.6	6.6
95	6.0	6.0


Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OMR Gage under the Cumulative Condition and the Existing Condition during March for the 20-Year Evaluation Period




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1988




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1989




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1990




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1991




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index Unimpaired Conditions during Runoff Year 1992




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1993




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1994




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1995




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1996




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1997




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1998




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1999




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2000




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2001




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2002




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2003




Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2004



Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2005



Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2006



Daily Flows (cfs) at the OMR Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2007

Total Number of Days with a Recurrence Interval of Daily Flows $\geq Q_{20}$ at the OMR Gage by Runoff Year and Runoff Year Type under the Cumulative Condition and the Existing Condition Over the 20-Year Evaluation Period


Runoff Year	Runoff Year Type	Number of Days with OMR Gage Daily Flows $\geq Q_{20}$ ($Q_{20} = 141$ cfs)		
		Cum Cond	Existing Cond	(Cum Cond - Existing Cond)
1988	D	0	0	0
1989	N	0	0	0
1990	D	0	0	0
1991	N	0	0	0
1992	N	0	0	0
1993	W	0	0	0
1994	D	0	0	0
1995	W	22	24	-2
1996	N	12	12	0
1997	N	1	1	0
1998	N	17	21	-4
1999	N	1	1	0
2000	N	0	0	0
2001	N	0	0	0
2002	N	0	0	0
2003	N	1	1	0
2004	N	0	0	0
2005	W	5	8	-3
2006	W	27	28	-1
2007	D	0	0	0
Total		86	96	-10

Total Number of Channel Maintenance and Flushing Flow Events (Daily Flows $\geq Q_{1.75}$) at the OMR Gage by Runoff Year and Runoff Year Type under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions Over the 20-Year Evaluation Period


Runoff Year	Runoff Year Type	Number of Events (Consecutive days) with OMR Gage Daily Flows $\geq Q_{1.75}$ ($Q_{1.75} = 109.7$ cfs)		
		Cum Cond	Existing Cond	Unimpaired
1988	D	0	0	0
1989	N	0	0	0
1990	D	0	0	0
1991	N	0	0	0
1992	N	0	0	0
1993	W	3	3	5
1994	D	0	0	0
1995	W	4	4	4
1996	N	3	3	3
1997	N	2	2	2
1998	N	2	2	2
1999	N	2	2	2
2000	N	2	2	1
2001	N	0	0	0
2002	N	0	0	0
2003	N	2	1	2
2004	N	0	0	0
2005	W	5	6	5
2006	W	3	3	3
2007	D	0	0	0
Total		28	28	29

Total Number of Days with a Recurrence Interval of Daily Flows $\geq Q_{1.75}$ at the OMR Gage by Runoff Year and Runoff Year Type under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions Over the 20-Year Evaluation Period


Runoff Year	Runoff Year Type	Number of Days with OMR Gage Daily Flows $\geq Q_{1.75}$ ($Q_{1.75} = 109.7$ cfs)		
		Cum Cond	Existing Cond	Unimpaired
1988	D	0	0	0
1989	N	0	0	0
1990	D	0	0	0
1991	N	0	0	0
1992	N	11	11	13
1993	W	0	0	0
1994	D	43	44	47
1995	W	15	15	19
1996	N	7	7	8
1997	N	33	34	35
1998	N	6	7	7
1999	N	4	4	5
2000	N	0	0	0
2001	N	0	0	0
2002	N	5	7	10
2003	N	0	0	0
2004	N	31	34	40
2005	W	41	42	45
2006	W	0	0	0
2007	D	0	0	0
Total		196	205	229




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1988




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1989




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1990




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1991




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1992




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1993




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1994




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1995




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1996




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1997




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1998




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1999




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2000




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2001




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2002




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2003




Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2004



Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2005



Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2006



Daily Time Series Comparing Adult Brown Trout Pool Habitat Availability (WUA, ft²) to 90% of Maximum (Theoretical) Habitat Availability under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2007

Monthly Averages of Daily Flows (cfs) at the OLD395 Gage by Runoff Year and Runoff Year Type for the 20-Year Evaluation Period under the Cumulative Condition


Runoff Year	Runoff Year Type	Average OLD395 Gage Daily Flow (cfs) under the Cum Cond												
		Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1988	D	8.4	21.7	19.7	11.7	6.2	4.1	3.5	4.6	4.0	4.5	4.0	6.4	8.3
1989	N	13.1	23.0	21.0	8.3	5.5	4.6	4.8	5.8	4.1	4.6	4.4	4.7	8.7
1990	D	9.2	18.2	18.9	10.1	6.0	4.4	3.9	4.3	2.9	2.5	3.7	5.3	7.4
1991	N	6.2	16.8	49.1	20.4	6.5	4.4	4.8	5.9	4.6	4.2	4.2	4.2	10.9
1992	N	10.1	26.0	18.4	9.0	5.7	4.4	3.7	4.1	2.6	3.3	3.7	5.2	8.0
1993	W	10.4	52.0	89.3	66.2	25.1	12.5	7.7	6.8	5.8	5.7	5.6	5.5	24.5
1994	D	9.9	23.9	29.1	9.5	4.9	4.8	5.1	4.6	4.9	4.5	4.7	7.2	9.5
1995	W	12.0	42.1	132.4	183.6	82.5	37.4	21.3	12.9	12.4	10.3	14.0	12.1	47.9
1996	N	24.0	88.2	110.5	55.8	27.0	15.1	11.0	15.1	12.2	40.1	12.0	13.1	35.5
1997	N	22.7	79.8	84.3	39.0	21.3	16.2	10.0	9.5	7.9	9.4	9.0	9.9	26.7
1998	N	10.6	23.7	109.5	146.1	56.6	31.0	16.4	14.8	10.0	8.9	9.0	8.2	37.2
1999	N	10.9	49.3	82.5	35.6	15.8	10.9	7.7	7.5	4.5	6.5	7.2	6.9	20.4
2000	N	11.3	57.5	64.1	21.0	12.4	8.1	7.9	6.2	6.0	5.3	5.0	6.7	17.7
2001	N	9.1	59.8	33.4	13.9	7.7	5.4	5.1	5.5	5.7	5.0	4.6	5.8	13.5
2002	N	12.8	28.8	46.5	17.7	8.2	6.2	5.2	9.5	5.1	5.3	5.2	6.7	13.1
2003	N	9.3	39.4	78.5	25.6	11.7	7.6	6.4	5.8	6.1	6.1	5.9	8.3	17.5
2004	N	10.7	34.0	40.5	13.3	8.8	5.2	7.2	6.3	4.8	5.9	5.8	6.8	12.5
2005	W	10.3	71.7	120.9	90.9	32.0	15.3	11.1	9.1	11.7	7.7	6.5	7.9	33.1
2006	W	14.4	102.4	172.9	99.8	33.6	18.0	10.6	9.6	8.8	7.6	7.2	7.6	41.2
2007	D	8.5	27.0	25.5	10.4	5.4	4.5	4.6	4.5	4.4	5.8	5.4	5.0	9.3
Average		11.7	44.2	67.4	44.4	19.2	11.0	7.9	7.6	6.4	7.7	6.4	7.2	20.1

Monthly Averages of Daily Flows (cfs) at the OLD395 Gage by Runoff Year and Runoff Year Type for the 20-Year Evaluation Period under the Existing Condition

Runoff Year	Runoff Year Type	Average OLD395 Gage Daily Flow (cfs) under the Existing Cond												
		Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1988	D	8.8	17.8	21.7	11.0	6.2	4.1	3.5	4.8	3.8	4.4	3.9	6.4	8.0
1989	N	10.0	22.4	23.1	8.5	5.1	4.6	4.9	6.3	4.0	4.5	4.1	4.6	8.5
1990	D	8.3	16.5	19.1	9.5	6.0	4.5	3.9	4.4	2.9	2.5	3.7	5.3	7.2
1991	N	6.2	13.3	51.1	19.8	6.9	5.7	5.0	6.8	4.7	4.2	4.0	4.2	11.0
1992	N	7.4	24.9	18.4	10.0	5.5	4.7	3.8	4.6	2.6	3.4	3.6	5.5	7.9
1993	W	9.7	53.2	92.6	65.8	24.6	14.2	8.3	7.2	6.2	5.9	6.1	5.5	25.1
1994	D	9.2	27.6	31.3	9.5	4.9	4.9	5.6	5.2	5.9	7.1	5.9	9.5	10.6
1995	W	15.3	46.1	138.2	184.1	83.3	38.3	21.0	13.3	13.0	11.1	14.6	12.4	49.4
1996	N	24.6	89.3	110.9	56.0	27.5	15.4	11.4	15.5	12.9	40.8	12.5	13.4	36.0
1997	N	24.1	80.2	84.1	39.3	21.6	16.4	10.5	9.7	8.4	10.1	9.4	10.3	27.1
1998	N	12.0	25.8	111.2	146.6	56.8	31.0	16.7	15.3	10.3	9.6	9.3	8.5	37.9
1999	N	12.0	51.2	84.0	36.1	16.6	11.4	8.3	8.1	4.8	7.1	7.9	7.3	21.2
2000	N	14.5	59.0	65.1	21.7	12.9	8.5	8.3	6.7	6.4	5.9	6.1	7.2	18.6
2001	N	11.7	61.8	33.2	14.3	7.6	5.6	5.3	6.1	6.9	5.2	5.3	6.3	14.2
2002	N	15.1	30.6	49.9	17.5	8.2	6.6	5.5	10.1	5.2	5.5	5.2	6.9	13.9
2003	N	10.4	38.6	82.6	25.6	11.8	8.0	6.4	5.8	6.5	6.2	6.5	8.5	18.0
2004	N	14.0	36.7	41.8	13.4	8.8	5.3	8.3	6.7	5.5	8.0	7.1	7.6	13.6
2005	W	13.1	76.0	124.4	90.4	31.5	15.2	10.9	9.7	12.5	8.2	7.4	9.0	34.2
2006	W	17.8	104.6	173.2	99.6	33.2	17.5	10.9	10.2	9.1	7.6	7.3	8.3	41.7
2007	D	11.6	28.4	25.0	10.0	5.3	4.9	4.9	4.6	4.8	6.2	5.8	5.2	9.7
Average		12.8	45.2	69.0	44.4	19.2	11.3	8.2	8.1	6.8	8.2	6.8	7.6	20.7


Differences in Monthly Averages of Daily Flows (cfs) at the OLD395 Gage by Runoff Year and Runoff Year Type for the 20-Year Evaluation Period under the Cumulative Condition Relative to the Existing Condition. Positive Values Indicate that the Cumulative Condition Flows are Higher than the Existing Condition Flows

Runoff Year	Runoff Year Type	Average OLD395 Gage Daily Flow (cfs) Differences (Cum Cond - Existing Cond)												
		Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1988	D	-0.4	3.9	-1.9	0.7	0.0	0.0	0.1	-0.1	0.2	0.1	0.1	-0.1	0.2
1989	N	3.2	0.6	-2.0	-0.2	0.4	-0.1	-0.1	-0.5	0.1	0.1	0.3	0.1	0.1
1990	D	0.9	1.7	-0.3	0.6	0.0	-0.1	0.0	-0.1	0.0	0.0	0.0	-0.1	0.2
1991	N	0.0	3.4	-2.1	0.6	-0.4	-1.4	-0.2	-0.9	-0.2	0.0	0.1	0.0	-0.1
1992	N	2.7	1.1	0.0	-1.0	0.2	-0.3	-0.1	-0.4	0.0	-0.1	0.2	-0.3	0.2
1993	W	0.6	-1.2	-3.4	0.3	0.5	-1.7	-0.6	-0.4	-0.4	-0.2	-0.5	0.1	-0.6
1994	D	0.7	-3.7	-2.2	0.0	0.0	0.0	-0.5	-0.5	-1.0	-2.5	-1.2	-2.3	-1.1
1995	W	-3.3	-4.0	-5.8	-0.5	-0.8	-0.9	0.4	-0.4	-0.7	-0.8	-0.5	-0.3	-1.5
1996	N	-0.6	-1.1	-0.4	-0.2	-0.5	-0.3	-0.4	-0.4	-0.7	-0.7	-0.5	-0.3	-0.5
1997	N	-1.4	-0.5	0.2	-0.3	-0.2	-0.2	-0.6	-0.2	-0.5	-0.6	-0.5	-0.4	-0.4
1998	N	-1.4	-2.2	-1.7	-0.6	-0.2	0.0	-0.3	-0.5	-0.3	-0.7	-0.4	-0.3	-0.7
1999	N	-1.1	-1.9	-1.4	-0.5	-0.8	-0.6	-0.5	-0.7	-0.2	-0.6	-0.7	-0.4	-0.8
2000	N	-3.2	-1.5	-0.9	-0.8	-0.5	-0.3	-0.4	-0.5	-0.4	-0.6	-1.2	-0.5	-0.9
2001	N	-2.7	-2.0	0.2	-0.4	0.1	-0.1	-0.2	-0.6	-1.1	-0.2	-0.7	-0.5	-0.7
2002	N	-2.3	-1.8	-3.4	0.2	0.0	-0.3	-0.2	-0.6	-0.2	-0.2	0.0	-0.2	-0.7
2003	N	-1.1	0.9	-4.1	-0.1	-0.1	-0.3	0.0	0.0	-0.3	-0.1	-0.6	-0.1	-0.5
2004	N	-3.4	-2.7	-1.3	-0.2	0.0	-0.1	-1.1	-0.5	-0.6	-2.1	-1.2	-0.8	-1.2
2005	W	-2.9	-4.3	-3.5	0.5	0.5	0.1	0.1	-0.6	-0.8	-0.5	-0.9	-1.1	-1.1
2006	W	-3.5	-2.2	-0.3	0.2	0.4	0.4	-0.2	-0.6	-0.2	-0.1	-0.1	-0.7	-0.6
2007	D	-3.1	-1.4	0.6	0.3	0.1	-0.4	-0.3	-0.1	-0.4	-0.4	-0.5	-0.2	-0.5
Average		-1.1	-1.0	-1.7	-0.1	-0.1	-0.3	-0.3	-0.4	-0.4	-0.5	-0.4	-0.4	-0.5




Probability of Exceedance (%)	April OLD395 Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	24.3	23.8
10	19.0	18.9
20	14.4	15.8
25	13.0	15.0
50	9.4	11.2
75	8.0	8.6
80	7.7	8.2
90	7.0	7.1
95	6.3	6.5

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition and the Existing Condition during April for the 20-Year Evaluation Period




Probability of Exceedance (%)	May OLD395 Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	117.1	118.0
10	94.9	96.2
20	70.9	71.8
25	58.3	60.4
50	28.9	30.3
75	19.1	19.2
80	18.1	17.7
90	15.4	15.3
95	12.6	12.4

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition and the Existing Condition during May for the 20-Year Evaluation Period




Probability of Exceedance (%)	June OLD395 Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	167.6	170.0
10	147.8	149.0
20	107.5	110.0
25	95.5	97.5
50	53.7	55.2
75	24.2	25.1
80	21.7	22.7
90	18.6	19.0
95	17.3	17.7

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition and the Existing Condition during June for the 20-Year Evaluation Period




Probability of Exceedance (%)	July OLD395 Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	159.8	160.0
10	126.8	125.9
20	72.7	72.3
25	52.4	52.6
50	21.2	21.0
75	10.7	10.9
80	9.9	9.9
90	8.8	8.8
95	8.2	8.1

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition and the Existing Condition during July for the 20-Year Evaluation Period




Probability of Exceedance (%)	August OLD395 Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	65.8	65.7
10	43.8	43.1
20	28.8	28.9
25	24.8	24.6
50	9.3	9.3
75	6.1	6.1
80	5.8	5.7
90	5.1	5.0
95	4.7	4.6

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition and the Existing Condition during August for the 20-Year Evaluation Period




Probability of Exceedance (%)	September OLD395 Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	33.8	34.2
10	22.6	22.1
20	16.0	16.2
25	14.9	15.0
50	6.7	7.0
75	4.3	4.8
80	4.2	4.5
90	4.0	4.1
95	4.0	3.9

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition and the Existing Condition during September for the 20-Year Evaluation Period




Probability of Exceedance (%)	October OLD395 Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	18.9	18.7
10	14.8	15.2
20	10.8	11.0
25	10.1	10.4
50	6.7	6.9
75	4.3	4.6
80	4.1	4.2
90	3.9	3.7
95	3.3	3.3

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition and the Existing Condition during October for the 20-Year Evaluation Period




Probability of Exceedance (%)	November OLD395 Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	14.7	14.9
10	13.0	13.4
20	9.9	10.3
25	9.0	9.4
50	6.5	7.0
75	4.8	5.3
80	4.4	4.8
90	4.0	4.2
95	3.7	3.5

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition and the Existing Condition during November for the 20-Year Evaluation Period




Probability of Exceedance (%)	December OLD395 Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	13.0	13.2
10	10.7	11.2
20	8.5	8.9
25	7.5	8.3
50	5.3	6.0
75	4.0	4.4
80	4.0	3.9
90	3.7	3.5
95	2.5	2.4

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition and the Existing Condition during December for the 20-Year Evaluation Period




Probability of Exceedance (%)	January OLD395 Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	16.7	17.2
10	10.3	11.1
20	8.5	9.5
25	7.7	8.4
50	5.4	6.0
75	4.5	4.7
80	4.1	4.4
90	3.6	3.5
95	2.9	2.7

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition and the Existing Condition during January for the 20-Year Evaluation Period




Probability of Exceedance (%)	February OLD395 Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	12.5	13.1
10	11.0	11.5
20	8.1	8.6
25	7.4	7.8
50	5.3	6.1
75	4.3	4.7
80	4.2	4.2
90	4.0	3.7
95	3.6	3.3

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition and the Existing Condition during February for the 20-Year Evaluation Period




Probability of Exceedance (%)	March OLD395 Gage Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	12.2	12.4
10	10.4	10.7
20	8.8	9.6
25	8.2	8.9
50	6.7	7.1
75	5.3	5.4
80	5.1	5.2
90	4.6	4.6
95	4.1	4.1


Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition and the Existing Condition during March for the 20-Year Evaluation Period




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1988




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1989




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1990




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1991




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index Unimpaired Conditions during Runoff Year 1992




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1993




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1994




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1995




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1996




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1997




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1998




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1999




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2000




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2001




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2002




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2003




Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2004



Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2005



Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2006



Daily Flows (cfs) at the OLD395 Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2007

Monthly Averages of Daily Flows (cfs) at the USGS Hot Creek Flume Gage by Runoff Year and Runoff Year Type for the 20-Year Evaluation Period under the Cumulative Condition


Runoff Year	Runoff Year Type	Average Hot Creek Daily Flow (cfs) under the Cum Cond												
		Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1988	D	45.1	53.9	55.6	47.4	44.7	42.2	41.6	42.8	39.3	39.1	40.9	41.8	44.5
1989	N	45.0	54.7	53.2	42.9	41.4	40.5	38.7	38.9	37.7	37.9	38.5	40.0	42.5
1990	D	38.9	44.1	45.5	39.3	38.4	35.4	34.1	34.7	32.7	33.2	35.4	37.4	37.4
1991	N	41.9	45.5	67.6	49.8	43.1	40.9	37.3	36.5	33.9	34.3	34.9	36.5	41.8
1992	N	39.8	48.6	45.3	39.1	35.6	33.6	33.4	33.0	29.7	31.8	32.8	38.7	36.8
1993	W	49.9	73.0	114.1	104.3	64.5	52.9	46.7	43.0	39.4	38.5	37.1	37.6	58.5
1994	D	39.5	48.8	53.0	41.6	35.4	32.6	31.2	31.6	32.4	33.5	34.5	42.1	38.0
1995	W	50.7	72.6	153.7	212.1	133.0	92.8	67.7	56.9	56.7	51.2	54.1	52.5	88.0
1996	N	60.6	114.7	142.0	96.8	71.8	60.3	52.7	57.2	52.6	94.0	57.7	54.9	76.4
1997	N	58.0	107.4	119.0	80.0	62.7	58.6	52.1	50.4	49.4	52.0	50.4	54.7	66.3
1998	N	55.8	63.0	135.6	181.8	106.2	84.6	67.7	63.5	55.1	53.4	54.6	50.7	81.2
1999	N	50.9	80.7	115.4	76.0	58.0	51.8	48.6	48.4	44.4	46.1	47.0	45.5	59.4
2000	N	44.1	83.2	98.3	61.0	52.7	48.6	46.6	44.6	43.5	42.2	42.1	47.3	54.6
2001	N	45.6	83.6	69.1	52.1	46.5	43.9	40.6	40.1	39.5	38.7	38.7	39.6	48.2
2002	N	44.7	49.8	68.4	47.0	42.2	39.3	38.9	46.7	41.1	42.8	41.8	42.6	45.4
2003	N	41.6	60.3	97.1	58.5	49.5	41.9	39.7	40.3	40.6	40.6	40.8	45.2	49.7
2004	N	44.1	57.0	67.2	49.3	43.6	40.3	40.0	38.8	36.6	37.6	39.0	41.9	44.6
2005	W	47.7	88.0	136.5	120.8	76.4	60.7	53.0	46.8	50.1	45.3	48.3	48.4	68.6
2006	W	56.1	122.3	191.1	140.2	85.0	65.5	61.2	56.3	51.8	48.0	46.2	48.6	81.2
2007	D	45.5	54.8	57.2	48.0	42.1	41.6	40.4	39.7	38.1	40.4	41.5	45.0	44.5
Average		47.3	70.3	94.2	79.4	58.6	50.4	45.6	44.5	42.2	44.0	42.8	44.6	55.4

Monthly Averages of Daily Flows (cfs) at the USGS Hot Creek Flume Gage by Runoff Year and Runoff Year Type for the 20-Year Evaluation Period under the Existing Condition

Runoff Year	Runoff Year Type	Average Hot Creek Daily Flow (cfs) under the Existing Cond												
		Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1988	D	45.6	50.1	57.5	46.7	44.7	42.2	41.5	42.9	39.0	39.1	40.7	41.8	44.3
1989	N	41.8	54.2	55.2	43.2	41.0	40.5	38.8	39.4	37.6	37.8	38.2	39.9	42.3
1990	D	38.0	42.4	45.8	38.8	38.4	35.5	34.1	34.8	32.7	33.2	35.4	37.5	37.2
1991	N	41.9	42.0	69.7	49.2	43.5	42.3	37.5	37.4	34.0	34.3	34.8	36.5	41.9
1992	N	37.1	47.5	45.3	40.1	35.4	33.9	33.5	33.5	29.8	31.9	32.7	39.1	36.7
1993	W	49.3	74.3	117.5	104.0	64.0	54.6	47.3	43.4	39.8	38.7	37.6	37.5	59.1
1994	D	38.8	52.6	55.2	41.6	35.4	32.6	31.7	32.1	33.3	36.0	35.7	44.4	39.1
1995	W	54.1	76.6	159.5	212.6	133.8	93.7	67.4	57.4	57.4	52.0	54.6	52.8	89.5
1996	N	61.2	115.8	142.4	97.0	72.3	60.6	53.1	57.6	53.3	94.7	58.2	55.2	76.9
1997	N	59.4	107.9	118.8	80.3	62.9	58.8	52.7	50.6	49.9	52.6	50.9	55.1	66.7
1998	N	57.2	65.2	137.3	182.3	106.4	84.6	68.1	64.0	55.4	54.1	55.0	51.0	81.9
1999	N	52.0	82.6	116.8	76.5	58.8	52.4	49.2	49.0	44.6	46.8	47.7	45.9	60.2
2000	N	47.3	84.7	99.2	61.7	53.2	48.9	47.0	45.0	43.9	42.8	43.3	47.8	55.5
2001	N	48.3	85.6	68.9	52.5	46.4	44.0	40.7	40.7	40.6	38.9	39.4	40.1	48.9
2002	N	47.0	51.6	71.8	46.9	42.2	39.7	39.1	47.3	41.2	43.0	41.7	42.8	46.2
2003	N	42.7	59.4	101.2	58.6	49.7	42.2	39.7	40.3	40.9	40.6	41.4	45.3	50.2
2004	N	47.5	59.7	68.5	49.4	43.6	40.4	41.1	39.2	37.2	39.6	40.2	42.7	45.8
2005	W	50.5	92.2	140.0	120.2	75.9	60.6	52.9	47.4	50.9	45.8	49.1	49.4	69.7
2006	W	59.6	124.6	191.4	139.9	84.5	65.1	61.4	56.9	52.1	48.1	46.3	49.3	81.8
2007	D	48.6	56.2	56.6	47.7	42.1	42.0	40.7	39.7	38.5	40.8	41.9	45.2	45.0
Average		48.4	71.3	95.9	79.5	58.7	50.7	45.9	44.9	42.6	44.5	43.2	45.0	55.9


Differences in Monthly Averages of Daily Flows (cfs) at the USGS Hot Creek Flume Gage by Runoff Year and Runoff Year Type for the 20-Year Evaluation Period under the Cumulative Condition Relative to the Existing Condition. Positive Values Indicate that the Cumulative Condition Flow Values are Higher than the Existing Condition Values

Runoff Year	Runoff Year Type	Average Hot Creek Daily Flow (cfs) Differences (Cum Cond - Existing Cond)												
		Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1988	D	-0.4	3.9	-1.9	0.7	0.0	0.0	0.1	-0.1	0.2	0.1	0.1	-0.1	0.2
1989	N	3.2	0.6	-2.0	-0.2	0.4	-0.1	-0.1	-0.5	0.1	0.1	0.3	0.1	0.1
1990	D	0.9	1.7	-0.3	0.6	0.0	-0.1	0.0	-0.1	0.0	0.0	0.0	-0.1	0.2
1991	N	0.0	3.4	-2.1	0.6	-0.4	-1.4	-0.2	-0.9	-0.2	0.0	0.1	0.0	-0.1
1992	N	2.7	1.1	0.0	-1.0	0.2	-0.3	-0.1	-0.4	0.0	-0.1	0.2	-0.3	0.2
1993	W	0.6	-1.2	-3.4	0.3	0.5	-1.7	-0.6	-0.4	-0.4	-0.2	-0.5	0.1	-0.6
1994	D	0.7	-3.7	-2.2	0.0	0.0	0.0	-0.5	-0.5	-1.0	-2.5	-1.2	-2.3	-1.1
1995	W	-3.3	-4.0	-5.8	-0.5	-0.8	-0.9	0.4	-0.4	-0.7	-0.8	-0.5	-0.3	-1.5
1996	N	-0.6	-1.1	-0.4	-0.2	-0.5	-0.3	-0.4	-0.4	-0.7	-0.7	-0.5	-0.3	-0.5
1997	N	-1.4	-0.5	0.2	-0.3	-0.2	-0.2	-0.6	-0.2	-0.5	-0.6	-0.5	-0.4	-0.4
1998	N	-1.4	-2.2	-1.7	-0.6	-0.2	0.0	-0.3	-0.5	-0.3	-0.7	-0.4	-0.3	-0.7
1999	N	-1.1	-1.9	-1.4	-0.5	-0.8	-0.6	-0.5	-0.7	-0.2	-0.6	-0.7	-0.4	-0.8
2000	N	-3.2	-1.5	-0.9	-0.8	-0.5	-0.3	-0.4	-0.5	-0.4	-0.6	-1.2	-0.5	-0.9
2001	N	-2.7	-2.0	0.2	-0.4	0.1	-0.1	-0.2	-0.6	-1.1	-0.2	-0.7	-0.5	-0.7
2002	N	-2.3	-1.8	-3.4	0.2	0.0	-0.3	-0.2	-0.6	-0.2	-0.2	0.0	-0.2	-0.7
2003	N	-1.1	0.9	-4.1	-0.1	-0.1	-0.3	0.0	0.0	-0.3	-0.1	-0.6	-0.1	-0.5
2004	N	-3.4	-2.7	-1.3	-0.2	0.0	-0.1	-1.1	-0.5	-0.6	-2.1	-1.2	-0.8	-1.2
2005	W	-2.9	-4.3	-3.5	0.5	0.5	0.1	0.1	-0.6	-0.8	-0.5	-0.9	-1.1	-1.1
2006	W	-3.5	-2.2	-0.3	0.2	0.4	0.4	-0.2	-0.6	-0.2	-0.1	-0.1	-0.7	-0.6
2007	D	-3.0	-1.4	0.6	0.3	0.1	-0.4	-0.3	-0.1	-0.4	-0.4	-0.5	-0.2	-0.5
Average		-1.1	-1.0	-1.7	-0.1	-0.1	-0.3	-0.3	-0.4	-0.4	-0.5	-0.4	-0.4	-0.5




Probability of Exceedance (%)	April Hot Creek Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	62.0	63.0
10	56.9	58.4
20	52.9	54.7
25	51.1	53.0
50	46.1	47.8
75	42.2	42.8
80	41.6	41.0
90	38.9	38.0
95	37.2	37.0

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition and the Existing Condition during April for the 20-Year Evaluation Period




Probability of Exceedance (%)	May Hot Creek Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	131.9	135.0
10	117.0	118.2
20	95.9	96.0
25	83.1	85.0
50	59.1	60.0
75	47.8	47.0
80	45.7	45.2
90	42.7	42.7
95	41.7	41.8

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition and the Existing Condition during May for the 20-Year Evaluation Period




Probability of Exceedance (%)	June Hot Creek Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	188.6	190.0
10	161.8	164.0
20	130.8	132.0
25	123.5	126.0
50	79.6	82.0
75	56.6	57.4
80	53.9	55.2
90	46.2	47.0
95	44.2	44.1

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition and the Existing Condition during June for the 20-Year Evaluation Period




Probability of Exceedance (%)	July Hot Creek Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	193.3	193.0
10	160.6	159.9
20	113.6	113.0
25	92.7	93.0
50	55.2	55.0
75	45.1	45.0
80	43.3	43.4
90	40.6	41.0
95	38.7	38.7

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition and the Existing Condition during July for the 20-Year Evaluation Period




Probability of Exceedance (%)	August Hot Creek Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	117.7	117.5
10	91.6	91.0
20	74.1	74.0
25	69.1	69.0
50	47.0	47.0
75	42.0	41.9
80	41.2	41.0
90	37.2	37.0
95	35.1	35.3

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition and the Existing Condition during August for the 20-Year Evaluation Period




Probability of Exceedance (%)	September Hot Creek Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	87.7	86.5
10	75.1	70.7
20	60.6	60.0
25	58.9	59.0
50	43.3	44.0
75	40.0	40.1
80	39.2	39.5
90	34.1	34.1
95	33.0	33.0

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition and the Existing Condition during September for the 20-Year Evaluation Period




Probability of Exceedance (%)	October Hot Creek Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	67.1	67.0
10	63.3	63.0
20	53.1	53.5
25	52.0	52.0
50	41.8	42.0
75	38.7	38.9
80	37.9	38.0
90	33.1	33.1
95	32.1	32.9

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition and the Existing Condition during October for the 20-Year Evaluation Period




Probability of Exceedance (%)	November Hot Creek Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	62.1	62.0
10	58.1	58.3
20	51.3	51.8
25	49.4	50.0
50	42.6	42.9
75	38.6	39.0
80	37.2	38.0
90	34.4	34.7
95	32.0	32.0

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition and the Existing Condition during November for the 20-Year Evaluation Period




Probability of Exceedance (%)	December Hot Creek Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	56.2	56.3
10	53.7	54.3
20	49.8	50.0
25	48.0	49.0
50	40.1	40.7
75	37.0	37.1
80	35.2	35.2
90	32.7	32.9
95	30.9	30.7

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition and the Existing Condition during December for the 20-Year Evaluation Period




Probability of Exceedance (%)	January Hot Creek Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	63.9	64.0
10	52.6	53.3
20	50.3	51.0
25	46.3	46.7
50	40.7	41.0
75	37.5	37.8
80	35.5	37.0
90	33.2	34.0
95	32.3	32.6

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition and the Existing Condition during January for the 20-Year Evaluation Period




Probability of Exceedance (%)	February Hot Creek Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	57.5	58.0
10	53.1	53.3
20	49.7	50.0
25	47.1	47.7
50	41.0	41.5
75	37.6	37.8
80	36.4	36.9
90	34.6	35.0
95	33.0	33.1

Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition and the Existing Condition during February for the 20-Year Evaluation Period




Probability of Exceedance (%)	March Hot Creek Daily Flow (cfs)	
	Cum Cond	Existing Cond
5	55.6	56.0
10	52.9	53.0
20	49.9	50.6
25	49.0	50.0
50	43.6	44.0
75	40.0	40.0
80	39.0	39.1
90	37.0	37.0
95	35.5	35.5


Cumulative Exceedance Probability Distribution of Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition and the Existing Condition during March for the 20-Year Evaluation Period




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1988




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1989




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1990




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1991




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1992




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1993




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1994




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1995




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1996




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1997




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1998




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 1999




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2000




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2001




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2002




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2003




Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2004



Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2005



Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2006



Daily Flows (cfs) at the USGS Hot Creek Flume Gage under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions during Runoff Year 2007

Total Number of Channel Maintenance and Flushing Flow Events (Daily Flows $\geq Q_{1.75}$) at the USGS Hot Creek Flume Gage by Runoff Year and Runoff Year Type under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions Over the 20-Year Evaluation Period

Runoff Year	Runoff Year Type	Number of Events (Consecutive days) with Hot Creek Daily Flow $\geq Q_{1.75}$ ($Q_{1.75} = 129.4$ cfs)		
		Cum Cond	Existing Cond	Unimpaired
1988	D	0	0	0
1989	N	0	0	0
1990	D	0	0	0
1991	N	0	0	0
1992	N	0	0	0
1993	W	4	5	4
1994	D	0	0	0
1995	W	5	5	4
1996	N	4	4	3
1997	N	3	4	5
1998	N	3	3	2
1999	N	3	2	2
2000	N	1	2	2
2001	N	0	0	0
2002	N	0	0	0
2003	N	0	2	2
2004	N	0	0	0
2005	W	5	5	3
2006	W	4	3	3
2007	D	0	0	0
Total		32	35	30

Total Number of Days with a Recurrence Interval of Daily Flows $\geq Q_{1.75}$ at the USGS Hot Creek Flume Gage by Runoff Year and Runoff Year Type under the Cumulative Condition, the Existing Condition and the Index of Unimpaired Conditions Over the 20-Year Evaluation Period

Runoff Year	Runoff Year Type	Number of Days with Hot Creek Daily Flow $\geq Q_{1.75}$ ($Q_{1.75} = 129.4$ cfs)		
		Cum Cond	Existing Cond	Unimpaired
1988	D	0	0	0
1989	N	0	0	0
1990	D	0	0	0
1991	N	0	0	0
1992	N	0	0	0
1993	W	10	12	22
1994	D	0	0	0
1995	W	66	68	74
1996	N	30	31	32
1997	N	11	12	16
1998	N	48	49	52
1999	N	13	14	17
2000	N	1	4	4
2001	N	0	0	0
2002	N	0	0	0
2003	N	0	2	5
2004	N	0	0	0
2005	W	35	38	47
2006	W	58	56	67
2007	D	0	0	0
Total		272	286	336